



ZEP Inc.  
11627 178th Street  
Edmonton, Alberta T5S 1N6  
1-877-I-BUY-ZEP (428-9937)  
www.zep.com

# Material Safety Data Sheet

## Section 1. Chemical Product and Company Identification

**Product name** OIL & GREASE STAIN REMOVER  
**Product use** stain Remover.  
**Product code** 1561  
**Date of issue** 04/14/14 **Supersedes** 05/02/11

### Emergency Telephone Numbers

**For MSDS Information:**  
Technical Services Group  
Telephone (780) 453-8100  
(Business Hours 8:00am - 5:00pm)

**For Medical or Transportation Emergency**  
CANUTEC (24 Hours)  
(613) 996-6666 - Call Collect

### Prepared By

Technical Services Group  
11627 178th Street  
Edmonton, Alberta T5S 1N6

## Section 2. Hazards Identification

### Emergency overview

**WARNING !**

COMBUSTIBLE. MAY BE HARMFUL IF SWALLOWED.

Keep away from heat, sparks and flame. Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

**NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.**

### Acute Effects

### Routes of Entry

Dermal contact. Eye contact. Inhalation.

#### Eyes

May cause eye irritation. Inflammation of the eye is characterized by redness, watering and itching.

#### Skin

May cause skin irritation. Skin inflammation is characterized by itching, scaling, or reddening. May cause skin sensitization.

#### Inhalation

Avoid breathing vapors, spray or mists. Irritating to respiratory system. Inhalation of spray mists or vapors may cause central nervous system depression characterized by headache, dizziness, nausea, and/or stupor.

#### Ingestion

Aspiration hazard if swallowed. Can enter lungs and cause damage. Harmful if swallowed.

### Chronic effects

Contains material which may cause damage to the following organs: central nervous system (CNS).

Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis. Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

**Additional Information: See Toxicological Information (Section 11)**

## Section 3. Composition/Information on Ingredients

### Name of Hazardous Ingredients

### CAS number

### % by Weight

ODORLESS ALIPHATIC NAPHTHA; heavy alkylate petroleum naphtha; odorless mineral spirits

64741-65-7

40 - 70

D-LIMONENE; orange distillate; citrus terpene; cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-

5989-27-5

3 - 7

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
<b>Skin Contact</b>	Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention.
<b>Inhalation</b>	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.
<b>Ingestion</b>	If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

**Section 5. Fire Fighting Measures**

<b>Flash Point</b>	Closed cup: 52.8°C (127°F) [ Tagliabue.]
<b>Flammable Limits</b>	Lower: 1% Upper: 7%
<b>Flammability</b>	Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.
<b>Auto-ignition Temperature</b>	
<b>Fire-Fighting Procedures</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use dry chemical or CO <sub>2</sub> .
<b>Fire hazard</b>	Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
<b>Products of Combustion</b>	carbon oxides (CO, CO <sub>2</sub> ) and other unidentified organic compounds
<b>Explosion hazard</b>	Not available.

**Section 6. Accidental Release Measures**

<b>Spill Clean up</b>	Put on appropriate personal protective equipment (see Section 8). Eliminate all ignition sources. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
-----------------------	--

**Section 7. Handling and Storage**

<b>Handling</b>	Put on appropriate personal protective equipment (see Section 8). Store and use away from heat, sparks, open flame or any other ignition source. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Take precautionary measures against electrostatic discharges. Do not reuse container. Wash thoroughly after handling.
<b>Storage</b>	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Keep out of the reach of children.

**Section 8. Exposure Controls/Personal Protection****Product name** **Exposure limits**

No exposure limit value known.

**Personal Protective Equipment (PPE)**

<b>Eyes</b>	Recommended: Splash goggles.
<b>Hands and Body</b>	Recommended: For prolonged or repeated handling, use the following type of gloves: Neoprene Nitrile Rubber



**Respiratory** Recommended: Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.

### Section 9. Physical and Chemical Properties

**Physical State** Liquid. [Thin liquid]

**Color** Colorless.

**pH** Not available.

**Odor** Citrus [Slight]

**Boiling Point** Not available.

**Vapor Pressure** Not available.

**Specific Gravity** 0.85

**Vapor Density** Not determined.

**Solubility** Very slightly soluble in the following materials:  
cold water and hot water. Emulsifies in water.

**Evaporation Rate** Not available.

**Freezing Point**

**VOC (Consumer)** 489 (g/l).

### Section 10. Stability and Reactivity

**Stability and Reactivity** The product is stable.

**Incompatibility** Avoid contact with strong oxidizers, excessive heat, sparks or open flame.

**Hazardous Polymerization** Will not occur.

**Hazardous Decomposition Products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological Information

**Carcinogenicity** Not available.

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Naphtha (petroleum), heavy alkylate	LC50 Inhalation Vapor	Rat	>5900 mg/m <sup>3</sup>	4 hours
(R)-p-mentha-1,8-diene	LD50 Oral	Rat	>18800 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Section 12. Ecological Information

**Environmental Effects** No known significant effects or critical hazards.

#### Aquatic Ecotoxicity

(R)-p-mentha-1,8-diene	-	Acute EC50 421 µg/l Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute EC50 688 µg/l Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours

### Section 13. Disposal Considerations

#### Waste Information

Waste must be disposed of in accordance with applicable regulations. Consult your local or regional authorities for additional information.

**Waste Stream** Not available.

**Section 14. Transport Information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>TDG Classification</b>	Not regulated.	-	-	-		-
<b>IMDG Class</b>				I		-

**NOTE:** DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. **Limited Quantity:** Small quantities of controlled goods are not regulated as Dangerous Goods according to TDG regulations.

PG\* : Packing group

**Section 15. Regulatory Information****Canada****WHMIS (Canada)**

Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**Section 16. Other Information**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*