

11-	!		0	
vei	rsior	١З	()	

Revision Date 02/07/2018

Print Date 04/14/2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP OVEN BRITE 1 CS- 12 X 1 QT
Material number	:	00000000000104801
Manufacturer or supplier's d	leta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone nu	mpe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Food and Beverage Facility Maintenance

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	colourless, clear
Odour	mild

GHS Classification

Skin corrosion Serious eye damage		Category 1 Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
	P303 + P361 + P353 IF ON SKIN immediately all contaminated clo water/shower. P304 + P340 + P310 IF INHALE and keep comfortable for breathi POISON CENTER/doctor. P305 + P351 + P338 + P310 IF I water for several minutes. Remo and easy to do. Continue rinsing CENTER/doctor. P363 Wash contaminated clothir Disposal: P501 Dispose of contents/contai regulation.	thing. Rinse skin with D: Remove person to fresh air ng. Immediately call a N EYES: Rinse cautiously with ve contact lenses, if present . Immediately call a POISON ng before reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium hydroxide	1310-73-2	>= 5 - < 10
2-(2-butoxyethoxy)ethanol	112-34-5	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.



Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
	If eye irritation persists, consult a s	pecialist.
If swallowed	: Clean mouth with water and drink a Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center. Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita	irected to do so by a n unconscious person. in.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, Effects are dependent on exposure contact time). Causes severe skin burns and eye Causes serious eye damage. Review section 2 of SDS to see all 	irritation, burns, and pain. e (dose, concentration, e damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wa courses.	ıter
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	 Collect contaminated fire extinguishing water separately. must not be discharged into drains. Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations. 	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
Methods and materials for containment and cleaning up	: Neutralise with acid. Soak up with inert absorbent material acid binder, universal binder, sawdust)	

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. This product is formulated for use on hard metal surfaces. This product does contain a reducing agent(s) that may corrode soft metals. This product should be stored in its original packaging or containers of similar construction, and not in metal vessels.
Materials to avoid	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Engineering measures : effective ventilation in all processing areas



Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
Personal protective equipme	nt	
Respiratory protection	: Use respiratory protection unles ventilation is provided or exposi- that exposures are within recom-	ure assessment demonstrates
Hand protection Material Remarks	Protective glovesThe suitability for a specific wor	
	with the producers of the protec	tive gloves.
Eye protection	: Ensure that eyewash stations a the workstation location. Tightly fitting safety goggles Wear face-shield and protective problems.	
Skin and body protection	: Impervious clothing Choose body protection accordi concentration of the dangerous	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless, clear
Odour	:	mild
Odour Threshold	:	No data available
рН	:	13 - 14
Melting point/freezing point	:	No data available
Boiling point	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	No data available
Evaporation rate Upper explosion limit	:	No data available No data available
	::	
Upper explosion limit	: : :	No data available
Upper explosion limit Lower explosion limit	::	No data available No data available
Upper explosion limit Lower explosion limit Vapour pressure	: : : :	No data available No data available not determined
Upper explosion limit Lower explosion limit Vapour pressure Relative vapour density	:::::::::::::::::::::::::::::::::::::::	No data available No data available not determined No data available
Upper explosion limit Lower explosion limit Vapour pressure Relative vapour density Density	:::::::::::::::::::::::::::::::::::::::	No data available No data available not determined No data available



Version	3.0
---------	-----

Revision Date 02/07/2018

Print Date 04/14/2021

Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 989 mm2/s (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Reducing agents Oxidizing agents This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential



Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
OSHA NTP	carcinogen by ACGIH. No component of this product prese equal to 0.1% is on OSHA's list of re No component of this product prese equal to 0.1% is identified as a know by NTP.	egulated carcinogens. nt at levels greater than or
Acute toxicity <u>Components:</u> sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,3	350 mg/kg
Skin corrosion/irritation <u>Product:</u> Remarks: Extremely corrosive	and destructive to tissue.	
Serious eye damage/eye irritation <u>Product:</u> Remarks: May cause irreversit Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity No data available Carcinogenicity No data available		
Reproductive toxicity		
No data available STOT - single exposure No data available		
STOT - repeated exposure No data available Aspiration toxicity No data available		
Further information Product: Remarks: No data available		



Version 3.0

Revision Date 02/07/2018

Print Date 04/14/2021

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u> 2-(2-butoxyethoxy)ethanol :	: Remarks: No data available
Partition coefficient: n- octanol/water propane-1,2-diol :	: Pow: 1
Partition coefficient: n- octanol/water	: log Pow: -1.07
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



Version 3.0

Revision Date 02/07/2018

Print Date 04/14/2021

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

С	omponents	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
S	odium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



Version 3.0	Revision Date 02/07/2018	Print Dat	e 04/14/2021
SARA 313	: The following components are s established by SARA Title III, S		levels
	2-(2-butoxyethoxy)ethanol	112-34-5	2.954 %
	2-butoxyethanol	111-76-2	0.045 %
California Prop. 65			
	WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.		

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:





Version 3.0	Revision Date 02/07/2018	Print Date 04/14/2021
Hazard statements Precautionary statements	Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Wea clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT in hair): Take off immediately all contaminated clothing. R INHALED: Remove person to fresh air and keep comfo call a POISON CENTER/doctor. IF IN EYES: Rinse cau minutes. Remove contact lenses, if present and easy to Immediately call a POISON CENTER/doctor. Wash con- reuse.	duce vomiting. IF ON SKIN (or inse skin with water/shower. IF rtable for breathing. Immediately utiously with water for several o do. Continue rinsing.
	Disposal: Dispose of contents/container in accordance	with local regulation.

Version:	3.0
Revision Date:	02/07/2018
Print Date:	04/14/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.