SAFETY DATA SHEET.

Issuing date 25-Apr-2018 Revision Date 26-Apr-2018 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name SCIENTIFIC FORMULA-301

Recommended use of the chemical

and restrictions on use

Product code F03850

Product Type Non-flammable aerosol

Synonyms None

Supplier's details

Recommended Use Electronic Cleaner.
Uses advised against No information available

Manufactured For: Manufacturer

ERS DEPOT American Jetway Corporation 11731 LEVAN RD. 34136 Myrtle Street

Livonia, MI 48150 Wayne, MI 48184-0126

Phone: (734) 721-5930 AMERICAN JETWAY 1-734-721-5930

Emergency telephone number

Chemical Emergency Phone

Number

CHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin Sensitization	Category 1B
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation

Causes serious eye damage.

May cause an allergic skin reaction.

Contains gas under pressure; may explode if heated



Appearance Clear Physical state Aerosol Odor Fragrance

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/eye protection/face protection.

Avoid breathing mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

Specific treatment (see first aid on this label)

IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed: call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
2-BUTOXYETHANOL	111-76-2	1-10
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	1-10
ETHANOL	64-17-5	1-10
ETHOXYLATED ALCOHOL	68439-46-3	1-10
MONOETHANOLAMINE	141-43-5	1-10
ISOPROPYL ALCOHOL	67-63-0	1-10
METHANOL	67-56-1	0.1-1.0
ETHYLENE GLYCOL	107-21-1	<0.1
METHYL ISOBUTYL KETONE	108-10-1	<0.1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Avoid contact with eyes, skin, and clothing.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water for 15 minutes and

seek medical advice. If symptoms persist, call a physician.

Skin contact Rinse immediately with plenty of water for 15 minutes and seek medical advice if skin

irritation persists.

Inhalation Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped,

contact emergency medical services immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Risk of

product entering the lungs on vomiting after ingestion. Call a physician or Poison Control

Center immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms Causes eye and skin irritation. Causes serious eye damage. May cause respiratory

irritation. May cause drowsiness or dizziness. May cause an allergic reaction if in direct

contact with skin. Harmful and may be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog. Carbon Dioxide (CO2), Foam, Dry Chemical. Cool Tanks/ containers with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact none.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse with adequate ventiliation to keep the exposure levels below the OELS.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Do not flush into surface water or sanitary sewer

system. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb with sand, clay, or other suitable material. Hard surfaces may be mopped with

water. Dam up. Cover liquid spill with sand, earth, or other noncombustible absorbent material. Take up mechanically and collect in suitable container for disposal. Clean

contaminated surfaces thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not

puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Avoid skin contact. Use with adequate ventilation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such

as electric motors and batteries. Do not spray on hot surfaces.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

. Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out

of the reach of children. Store locked up.

Incompatible products Strong acids, alkali, or oxidizing agents.

Aerosol Level 1

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-BUTOXYETHANOL	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	

PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	74-98-6: TWA: 1000 ppm 106-97-8: STEL: 1000 ppm 75-28-5: STEL: 1000 ppm	74-98-6:TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ 106-97-8: (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	74-98-6:IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ 106-97-8:TWA: 800 ppm TWA: 1900 mg/m³ 75-28-5:TWA: 800 ppm TWA: 1900 mg/m³
ETHANOL 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
MONOETHANOLAMINE 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³
ISOPROPYL ALCOHOL 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
METHANOL 67-56-1	STEL: 250 ppm TWA: 200 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
ETHYLENE GLYCOL 107-21-1	Ceiling: 100 mg/m³ aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³	-
METHYL ISOBUTYL KETONE 108-10-1	STEL: 75 ppm TWA: 20 ppm	TWA: 100 ppm TWA: 410 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 205 mg/m³ (vacated) STEL: 75 ppm (vacated) STEL: 300 mg/m³	IDLH: 500 ppm TWA: 50 ppm TWA: 205 mg/m³ STEL: 75 ppm STEL: 300 mg/m³

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Chemical resistant apron. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Based on propellant

Physical and chemical properties

Physical state Aerosol

AppearanceClearOdorFragrance

Color Colorless Odor Threshold

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH No information available Melting/freezing point No information available

Boiling point/boiling range

Flash Point -104.4 °C / -156 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limits in Air upper flammability limit lower flammability limit

Vapor pressure Vapor density Specific Gravity

Water solubility Infinite

Partition coefficient: n-octanol/water

Autoignition temperature No information available

Decomposition temperature

Viscosity No information available

Explosive properties

Other information

VOC Content(%) 18.85

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong acids, alkali, or oxidizing agents.

Hazardous Decomposition Products

Carbon oxides, Hydrocarbons, Fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid inhaling vapors or mists. May cause irritation to respiratory system.

Eye contact Irritating to eyes. Causes serious eye damage.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Ingestion Harmful and may be fatal if swallowed.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h
PROPANE/ISOBUTANE/N-BUTAN E 68476-86-8	-	-	=31mg/L (Rat) 4 hr
ETHANOL 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
ETHOXYLATED ALCOHOL 68439-46-3	= 1400 mg/kg (Rat)	-	-
MONOETHANOLAMINE 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg(Rabbit)	-
ISOPROPYL ALCOHOL 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg(Rabbit)	= 72600 mg/m³ (Rat) 4 h
METHANOL 67-56-1	= 6200 mg/kg (Rat)	-	= 22500 ppm (Rat) 8 h
ETHYLENE GLYCOL 107-21-1	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	-
METHYL ISOBUTYL KETONE 108-10-1	= 2080 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	= 8.2 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Causes skin and eye irritation. Causes serious eye damage. May cause allergic skin

reaction if in direct contact with skin.May cause respiratory irritation. May cause drowsiness and dizziness.Harmful and may be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Eye damage/irritation Irritating to eyes. Causes serious eye damage.

IrritationCauses skin and eye irritation . May cause respiratory irritation.SensitizationMay cause an allergic reaction if in direct contact with skin.

Germ Cell Mutagenicity Not a germ cell mutagen.

Carcinogenicity The table below indicates whether each agency has evaluated a listed ingredient as a

carcinogen.

For this product, Ethanol is not classified as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-BUTOXYETHANOL 111-76-2	-	Group 3	-	-
ETHANOL 64-17-5	A3	Group 1	Known	-
METHYL ISOBUTYL KETONE 108-10-1	А3	Group 2B	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reproductive toxicity
Specific target organ systemic
toxicity (single exposure)
Specific target organ systemic

toxicity (repeated exposure)

This product does not contain any known or suspected reproductive hazards.

No information available.

No information available.

Chronic toxicity Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and

potential cardiac arrest.

Target Organ Effects Eyes, Skin, Respiratory System, Central Nervous System, Hematopoietic System, Blood,

Kidney, Liver and Reproductive System.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4179 mg/kg
ATEmix (dermal) 10823 mg/kg
ATEmix (inhalation-dust/mist) 15.4 mg/l
ATEmix (inhalation-vapor) 50 mg/l

12. ECOLOGICAL INFORMATION

Tarabalta da Cali

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
2-BUTOXYETHANOL 111-76-2	-	1490 mg/L LC50 Lepomis macrochirus 96h static 2950 mg/L LC50 Lepomis macrochirus 96h	-	1000 mg/L EC50 Daphnia magna 48h
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
ETHANOL 64-17-5	-	12.0 - 16.0 mL/L LC50 Oncorhynchus mykiss 96h static 100 mg/L LC50 Pimephales promelas 96h static 13400 - 15100 mg/L LC50 Pimephales promelas 96h flow-through	-	9268 - 14221 mg/L LC50 Daphnia magna 48h 2 mg/L EC50 Daphnia magna 48h Static
MONOETHANOLAMINE 141-43-5	15 mg/L EC50 Desmodesmus subspicatus 72h	227 mg/L LC50 Pimephales promelas 96h flow-through 3684 mg/L LC50 Brachydanio rerio 96h static 300 - 1000 mg/L LC50 Lepomis macrochirus 96h static 114 - 196 mg/L LC50 Oncorhynchus mykiss 96h static 200 mg/L LC50 Oncorhynchus mykiss 96h flow-through	-	65 mg/L EC50 Daphnia magna 48h
ISOPROPYL ALCOHOL 67-63-0	1000 mg/L EC50 Desmodesmus subspicatus 96h 1000 mg/L EC50 Desmodesmus subspicatus 72h	9640 mg/L LC50 Pimephales promelas 96h flow-through 11130 mg/L LC50 Pimephales promelas 96h static 1400000 µg/L LC50 Lepomis macrochirus 96h	-	13299 mg/L EC50 Daphnia magna 48h
METHANOL 67-56-1	-	28200 mg/L LC50 Pimephales promelas 96h flow-through 100 mg/L LC50 Pimephales promelas 96h static 19500 - 20700 mg/L LC50 Oncorhynchus mykiss 96h flow-through 18 - 20 mL/L LC50 Oncorhynchus mykiss 96h static 13500 - 17600 mg/L LC50 Lepomis macrochirus 96h flow-through	-	-

ETHYLENE GLYCOL	6500 - 13000 mg/L EC50	41000 mg/L LC50	-	46300 mg/L EC50 Daphnia
107-21-1	Pseudokirchneriella	Oncorhynchus mykiss 96h		magna 48h
	subcapitata 96h	14 - 18 mL/L LC50		
		Oncorhynchus mykiss 96h		
		static 27540 mg/L LC50		
		Lepomis macrochirus 96h		
		static 40761 mg/L LC50		
		Oncorhynchus mykiss 96h		
		static 40000 - 60000 mg/L		
		LC50 Pimephales promelas		
		96h static 16000 mg/L LC50		
		Poecilia reticulata 96h static		
METHYL ISOBUTYL	400 mg/L EC50	496 - 514 mg/L LC50	-	170 mg/L EC50 Daphnia
KETONE	Pseudokirchneriella	Pimephales promelas 96h		magna 48h
108-10-1	subcapitata 96h	flow-through		

Persistence and degradability

•

Bioaccumulation

.

Chemical Name	log Pow
2-BUTOXYETHANOL 111-76-2	0.81
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	<=2.8
ETHANOL 64-17-5	-0.32
MONOETHANOLAMINE 141-43-5	-1.91
ISOPROPYL ALCOHOL 67-63-0	0.05
METHANOL 67-56-1	-0.77
ETHYLENE GLYCOL 107-21-1	-1.93
METHYL ISOBUTYL KETONE 108-10-1	1.19

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground CONSUMER COMMODITY ORM-D

or QUANTITY

IATA UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, LTD. QTY

IMDG

UN1950, AEROSOLS, 2.2,LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
2-BUTOXYETHANOL	Х	X	X	Χ	X	X	X	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	X	Х	х	Х	Х	Х	Х
ETHANOL	Х	Х	X	Х	X	Х	X	Х
ETHOXYLATED ALCOHOL	Х	Х	Not listed	Х	Х	Х	Х	Х
MONOETHANOLAMI NE	Х	Х	Х	Х	Х	Х	Х	Х
ISOPROPYL ALCOHOL	Х	X	Х	Х	Х	Х	Х	Х
METHANOL	Х	Х	X	Χ	X	Х	X	Х
ETHYLENE GLYCOL	Х	Х	Х	Х	Х	Х	Х	Х
METHYL ISOBUTYL KETONE	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
2-BUTOXYETHANOL - 111-76-2	111-76-2	1-10	1.0
ISOPROPYL ALCOHOL - 67-63-0	67-63-0	1-10	1.0
METHANOL - 67-56-1	67-56-1	0.1-1.0	1.0
ETHYLENE GLYCOL - 107-21-1	107-21-1	<0.1	1.0
METHYL ISOBUTYL KETONE - 108-10-1	108-10-1	<0.1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
METHANOL 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
ETHYLENE GLYCOL 107-21-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
METHYL ISOBUTYL KETONE 108-10-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Prop. 65	
ETHANOL - 64-17-5	Carcinogen Developmental 1-10% (If ingested as an alcoholic beverage)	
METHANOL - 67-56-1	Developmental 0.1-1.0%	
METHYL ISOBUTYL KETONE - 108-10-1	Cancer Developmental <0.1%	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-BUTOXYETHANOL 111-76-2	Χ	X	Х
ETHANOL 64-17-5	Х	X	Х
MONOETHANOLAMINE 141-43-5	X	X	X
ISOPROPYL ALCOHOL 67-63-0	Х	X	X
METHANOL 67-56-1	Х	X	Х
ETHYLENE GLYCOL 107-21-1	Х	X	Х
METHYL ISOBUTYL KETONE 108-10-1	Х	X	X

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and chemical

hazards -

Health Hazard 2 Flammability 1 Physical Hazard 1 Personal protection B

Prepared By American Jetway

34136 Myrtle Street Wayne, MI 48184 Tel.734-721-5930

Issuing date 25-Apr-2018 **Revision Date** 26-Apr-2018

Revision Note

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet